



OGEM SCREENS



OGEM SCREEN MESH

According to API RP13C, we can supply below screens

D 100 separation point (μ m)	API No.
> 7801.0 to 925.0	API 20
> 655.0 to 780.0	API 25
> 550.0 to 655.0	API 30
> 462.5 to 550.0	API 35
> 390.0 to 462.0	API 40
> 327.5 to 390.0	API 45
> 275.0 to 390.0	API 50
> 231.0 to 275.0	API 60
> 196.0 to 231.0	API 70
> 165.0 to 196.0	API 80
> 137.5 to 165.0	API 100
> 116.5 to 137.5	API 120
> 98.0 to 116.5	API 140
> 82.5 to 98.0	API 170
> 69.0 to 82.0	API 200
> 58.0 to 69.0	API 230
> 49.0 to 58.0	API 270
> 41.5 to 49.0	API 325
> 35.0 to 41.5	API 400
> 28.5 35.0	API 450
> 22.5 28.5	API 500

Derrick FLC500 series

<u>Derrick FLC500 series screen</u>	
Mesh	API20---API400
Size	length: 1050mm (41 3/10")
	width: 697mm (27 2/5")
	Height of rubber both side: 52mm (2")
Weight	Flat type: 5.5kg (12.12libra)
	Wave: 6.2kg (13.66libra)
Plies	Two or three
Material	Stainless steel 304 or 316
Frame material	Carbon steel



Derrick FLC2000 series screen

Derrick FLC2000 series screen	
Mesh	API20---API400
Size	Length: 1053mm (41 1/2")
	Width: 697mm (27 2/5")
Weight	Flat type: 4.2kg (9.24 libra)
	Wave: 5.8kg (12.76 libra)
Plies	Two or three
Material	Stainless steel 304 or 316
Frame material	Carbon steel





**Brandt cobra series
screen**

Brandt cobra series screen	
Mesh	API20---API400
Size	Length: 1250mm (49 1/5")
	Width: 630mm (24 4/5")
	Height: 28mm (1 1/10")
Weight	Flat type: 15kg (33 libra)
	Wave: 16.5kg (36.3libra)
Plies	Two or three
Material	Stainless steel 304 or 316
Frame material	Carbon steel




Brandt VSM300

Brandt VSM300			
Mesh	API20---API400		
Size	Scalping deck	Primary deck	Secondary deck
	Length: 676mm (26 5/8")	Length: 889mm (35")	Length: 203mm (8")
	Width: 940mm (37")	Width: 686mm (27")	Width: 686mm (27")
Weight	Height: 38mm (1 1/2")	Height: 38mm (1 1/2")	Height: 18mm (7/10")
	13.6kg (30 Libra)	12.5kg (27.5 Libra)	4kg (8.8 Libra)
Plies	2 or 3		
Material	Stainless 304 or 316		
Frame material	Carbon steel		



Mi-Swaco Mongosse Shaker Screen

<u>Mi-Swaco Mongosse Shaker Screen</u>	
Mesh	API20---API400
Size	Length: 1165mm (45 9/10")
	Width: 585mm (23")
	Height: 44mm (1 7/10")
Weight	13kg (28.6 libra)
	2 or 3
Material	Stainless steel 304 or 316
Frame material	Carbon Steel



Mi-Swaco ALS Series Screen

<u>Mi-Swaco ALS Series Screen</u>	
Mesh	API20---API400
Size	Length : 1156mm (45 9/10")
	Width: 902mm (23")
	Height: 25mm (1")
Weight	8 kg (17.6 libra)
Material	Carbon steel



Cantlon KTL48 series
screen

Cantlon KTL48 Series Screen		
Mesh	API20---API400	
Size	Upper	Below
	Length: 1245mm (49 1/5")	length: 1245mm (49 1/5")
	Width: 1150mm (45 3/10")	Width: 717mm (28 1/5")
Weight	Weight: 30mm (1 1/5")	Weight: 32mm (1 3/10")
	17kg (37.4 libra)	19kg (41.8libra)
Plies	2 or 3	
Material	Stainless steel 304 or 316	
Frame material	Carbon Steel	



OGEM OWN BRAND

<u>OGEM OWN BRAND</u>				
Mesh	API20---API400			
Size	AJS603L & AJS604L	AJS703L & AJS704L	AJS833L	Screen for Desander/Desilter
	Length: 1165mm (45 9/10") Width: 585mm (23")	Length: 1050mm (41 3/10") Width: 700mm (27 3/5")	Length: 1080mm (42 1/2") Width: 830mm (32 7/10")	Length: 1600mm (63") Width: 600mm (23 3/5")
Weight	Height: 44mm (1 7/10")	Height: 25mm (1")	Height: 25mm (1")	Height: 10mm (2/5")
Type	Frame plate or wave	Hard crochet plate or wave	Soft/Hard crocher plate	Soft crocher plate type
Exchange with other brand	NOV Brandt Cobra	Derrick FLC2000	-----	-----
Plies	2 or 3			
Material	Stainless steel 304 or 316			
Frame Material	Carbon Steel			



Contact OGEM Equipment



Professional for mud process

Company name: No.2 Jingxi Road,Lunan District,Tangshan city,Hebei province,China
(OGEM Equipment)

Address: No.1 Nanhua Road, Jiaoda Industrial Park, Lunan District, Tangshan

Tel: +86-315-8676484/ 8676483

Fax: +86-315-2648099 +86-315-2648088

Email: info@ogemsolidscontrol.com

Website: <http://www.ogemsolidscontrol.com/>